AUTHOR INDEX TO VOLUME 163

Abbé, J.Ch., see J.C. Machado 163 (1989) 140
Akasaka, T., see S. Nagase 163 (1989) 23
Al-Hassan, K.A. and T. Azumi, Fluorescence decay characteristics of 4-dimethylamino-benzonitrile in different polymer matrices: a time-resolved study in the nanosecond range 163 (1989) 129
Almlöf, J., see P.R. Taylor 163 (1989) 359
Alper, J.S., H. Dothe and M.A. Lowe, Comparison of ab initio and scaled quantum mechanical methods for the calculation of vibrational structure: a reply to Bose and Polavarapu 163 (1989) 571
Alpert, B., see A.G. Szabo 163 (1989) 565
Amos, R.D., see D. Jayatilaka 163 (1989) 151
Anacker, L.W., see L.A. Harmon 163 (1989) 463
Ando, W., see S. Nagase 163 (1989) 23
Arai, S., see T. Majima 163 (1989) 29
Arseneau, D.J., see P.W. Percival 163 (1989) 241
Auerbach, D.J., see C. Mullins 163 (1989) 111
Avudaithai, M., see T.R.N. Kutty 163 (1989) 93
Azumi, T., see K.A. Al-Hassan 163 (1989) 129

Baer, M., see V. Sidis 163 (1989) 19
Bagryanskaya, E.G., see I.V. Koptyug 163 (1989) 503
Bartlett, R.J., see J.F. Stanton 163 (1989) 333
Basch, H., D.R. Garmer, P.G. Jasien, M. Krauss and W.J. Stevens, Electrical properties of nucleic acid bases 163 (1989) 514
Bashkin, S., E. Träbert, P.-C. Lin, D.G. Jenkins and K. Wells, Broadening of lines from N^+ excited by H_3^+ bombardment of N_2 163 (1989) 407
Bauschlicher Jr., C.W., see A.P. Rendell 163 (1989) 354
Bearden, D.W. and L.R. Brown, Heteronuclear isotropic mixing in liquids 163 (1989) 432
Beggs, C.G., see C.-H. Kuo 163 (1989) 291
Behera, L., see T. Kar 163 (1989) 157
Belford, R.L., see R.B. Clarkson 163 (1989) 277
Bowers, M.T., see C.-H. Kuo 163 (1989) 291
Brenna, J.T., W.R. Creasy and W. Volksen, Elemental composition of ions associated with low mass carbon clusters generated by UV laser ablation of polyimide 163 (1989) 499
Brodovitch, J.-C., see P.W. Percival 163 (1989) 241
Brown, D.R., see R.B. Clarkson 163 (1989) 277
Brown, L.R., see D.W. Bearden 163 (1989) 432
Bubeck, C., see D. Neher 163 (1989) 116
Buck, U., X.J. Gu, M. Hobein and Ch. Lauenstein, Infrared photodissociation of size-selected hydrazine clusters 163 (1989) 455
Bulska, H., see J. Sepioł 163 (1989) 443
Burggraf, L.W., see M.S. Gordon 163 (1989) 371

Callear, A.B. and I.A. Cooper, Combination of C_2H_5 with CHO 163 (1989) 237
Campbell, C.E., see T. Pang 163 (1989) 537
Castro, A., S. Ong and K.B. Eisenthal, Studies of molecular properties at the surface of a liquid jet by second harmonic generation 163 (1989) 412
Cerjan, Ch., see P. Pernot 163 (1989) 297
Chaudhuri, R., D. Sinha and D. Mukherjee, On the extensivity of the roots of effective Hamiltonians in many-body formalisms employing incomplete model spaces 163 (1989) 165
Che, D.C., see T. Kasai 163 (1989) 246
Cheng, P.Y., K.F. Willey and M.A. Duncan, Vibronic spectroscopy of Ag_2–Ar 163 (1989) 469
Christophorou, L.G., see H. Faidas 163 (1989) 495
Chûjô, R., see M. Sakurai 163 (1989) 217
Clarkson, R.B., M.D. Timken, D.R. Brown, H.C. Crookham and R.L. Belford, Enhancement of nuclear modulation in electron spin echoes at low magnetic fields: S-band ESE spectrometer 163 (1989) 277
Clementi, E., see J.R. Flores 163 (1989) 198
Cooper, I.A., see A.B. Callear 163 (1989) 237
Cox, S.F.J., see P.W. Percival 163 (1989) 241
Creasy, W.R., see J.T. Brenna 163 (1989) 499
Cremer, D., see J. Gauss 163 (1989) 549
Crookham, H.C., see R.B. Clarkson 163 (1989) 277

Danby, G. and P. Valiron, Microwave double-resonance as a diagnostic probe of ab initio NH_3–H_2 potentials 163 (1989) 75
Davis, L.P., see M.S. Gordon 163 (1989) 371
Deperasinska, I. and J. Prochorow, On the role of excitation energy in the formation of a molecular exciplex under supersonic jet conditions 163 (1989) 257
Dohi, M., see K. Tokumura 163 (1989) 509
Dothe, H., see J.S. Alper 163 (1989) 571
Duncan, M.A., see P.Y. Cheng 163 (1989) 469
Duplâtre, G., see J.C. Machado 163 (1989) 140
Dwayne Miller, R.J., see L. Min 163 (1989) 55

Egorov, S.Yu., V.F. Kamalov, N.I. Koroteev, A.A. Krasnovsky Jr., B.N. Toleutaev and S.V. Zinukov, Rise and decay kinetics of photosensitized singlet oxygen luminescence in water. Measurements with nanosecond time-correlated single photon counting technique 163 (1989) 421
Eisenthal, K.B., see A. Castro 163 (1989) 412
El-Shall, M.S. and R.L. Whetten, Ultraviolet spectroscopy of benzene in cyclohexane clusters. Further evidence for structural shells and resonance interactions 163 (1989) 41
Ermler, W.C., see M.M. Marino 163 (1989) 202

Faidas, H., L.G. Christophorou and D.L. McCorkle, Drift velocities of excess electrons in 2,2,4,4-tetramethylpentane and tetramethylsilane: a fast drift technique 163 (1989) 495
Falk, K.J., S.E. Sveinson and R.P. Steer, Dynamics of the second excited singlet state of thiophosgene in solution 163 (1989) 490
Fleming, D.G., see P.W. Percival 163 (1989) 241
Flores, J.R., E. Clementi and V. Sonnad, A p-version finite-element approach for atomic Hartree–Fock calculations 163 (1989) 198

Foffani, A., see A. Modelli 163 (1989) 269
Francisco, J.S., Decomposition pathways of carbonofluorochloridic acid on the ground-state potential energy surface and its implication for a design strategy for alternative halocarbons 163 (1989) 375
François, J.P., see J.M.L. Martin 163 (1989) 387
Freude, D., see M. Hunger 163 (1989) 221
Friedrich, A., B. Pettinger, D.M. Kolb, G. Lüpke, R. Steinhoff and G. Marowsky, An in situ study of reconstructed gold electrode surfaces by second harmonic generation 163 (1989) 123
Fujii, T. and H. Ishii, Surface ionization of metallocene complexes on an oxidized rhenium emitter: mass spectra of $Fe(C_5H_5)_2$, $Ni(C_5H_5)_2$, $Co(C_5H_5)_2$, $Ti(C_5H_5)_2Cl_2$ and $Zr(C_5H_5)_2Cl_2$ 163 (1989) 69
Fung, K.H. and I.N. Tang, Raman spectral studies of supersaturated bisulfate solution droplets 163 (1989) 560

Garmer, D.R., see H. Basch 163 (1989) 514
Garner, D.M., see P.W. Percival 163 (1989) 241
Gauss, J. and D. Cremer, Analytical differentiation of the energy contribution due to triple excitations in quadratic configuration interaction theory 163 (1989) 549
Germer, T.A. and W. Ho, Direct characterization of the hydroxyl intermediate during reduction of oxygen on Pt(111) by time-resolved electron energy loss spectroscopy 163 (1989) 449
Gijbels, R., see J.M.L. Martin 163 (1989) 387
Gompper, G. and M. Schick, Phase and scattering behavior of disordered aqueous surfactant solutions as the binary limit of ternary microemulsions 163 (1989) 475
Gonzalez, A., see P.W. Percival 163 (1989) 241
Goodman, J.L. and M.S. Herman, Reaction volumes of excited state photoprocesses 163 (1989) 417
Gopinathan, C., see S. Kapoor 163 (1989) 135
Gordon, M.S., L.P. Davis and L.W. Burggraf, The structure and stability of neutral pentacoordinated silicon compounds 163 (1989) 371
Grabowska, A., see J. Sepioł 163 (1989) 443
Grimbert, D., see V. Sidis 163 (1989) 19
Grimes, R.M., see P. Pernot 163 (1989) 297
Grützmacher, H.-Fr., see D. Thölmann 163 (1989) 225
Gu, X.J., see U. Buck 163 (1989) 455

Harmon, L.A., L. Li, L.W. Anacker and R. Kopelman, Segregation measures for diffusion-controlled A+B reactions 163 (1989) 463
Hartmann, F.X. and S.R. Rotman, Energy transfer by the exchange interaction in non-uniform codoped solid-state crystals 163 (1989) 437
Hashimoto, H. and Y. Koyama, Raman spectra of all-trans-β-carotene in the S_1 and T_1 states produced by direct photoexcitation 163 (1989) 251
Helm, H., see L.J. Lembo 163 (1989) 425
Herman, M.S., see J.L. Goodman 163 (1989) 417
Heyrovská, R., Effective radii of alkali halide ions in aqueous solutions, crystals and in the gas phase and the interpretation of Stokes radii 163 (1989) 207
Higashide, H., T. Oka, K. Kasatani, H. Shinohara and H. Sato, Reactions of metal ions and benzene as studied by the laser ablation–molecular beam method. Pressure and kinetic energy dependences of ion–molecule reactions 163 (1989) 485

Ho, W., see T.A. Germer 163 (1989) 449
Hobein, M., see U. Buck 163 (1989) 455
Hoshi, H., see M. Sakurai 163 (1989) 217
Hotta, Y., see K. Kaneko 163 (1989) 61
Howell, R., A.C. Jones, A.G. Taylor and D. Phillips, Laser-induced fluorescence of dimethylaminobenzoic esters in solution and supersonic jet 163 (1989) 282
Hunger, M., D. Freude, H. Pfeifer, D. Prager and W. Reschetilowski, Proton MAS NMR studies of hydroxyl groups in alkaline earth cation-exchanged zeolite Y 163 (1989) 221

Inoue, Y., see M. Sakurai 163 (1989) 217
Ishii, H., see T. Fujii 163 (1989) 69
Itoh, M., see K. Tokumura 163 (1989) 509
Iyer, R.M., see S. Kapoor 163 (1989) 135

Jackson, R.L., Metal–alkyl bond dissociation energies for $(CH_3)_2Zn$, $(C_2H_5)_2Zn$, $(CH_3)_2Cd$, and $(CH_3)_2Hg$ 163 (1989) 315
Jahr, W., see K. Kneipp 163 (1989) 105
Jasien, P.G., see H. Basch 163 (1989) 514
Jayatilaka, D. and R.D. Amos, Analytic second derivatives with model potentials at SCF and MP2 levels 163 (1989) 151
Jay-Gerin, J.-P., see B. Plenkiewicz 163 (1989) 542
Jenkins, D.G., see S. Bashkin 163 (1989) 407
Jones, A.C., see R. Howell 163 (1989) 282
Jones, D., see A. Modelli 163 (1989) 269
Jones, H., see R.-D. Urban 163 (1989) 34

Kamalov, V.F., see S.Yu. Egorov 163 (1989) 421
Kaneko, K., A. Kobayashi, A. Matsumoto, Y. Hotta, T. Suzuki and S. Ozeki, Enhanced intermolecular interaction of NO in cylindrical micropores 163 (1989) 61
Kapoor, S., C. Gopinathan, H.S. Mahal and R.M. Iyer, The fluorescence of tryptophan in N,N-dimethyl formamide–water mixtures 163 (1989) 135
Kar, T., L. Behera and A.B. Sannigrahi, Effect of a general nonsingular transformation of the AO basis set on MO calculations of valency 163 (1989) 157
Kasai, T., D.C. Che, K. Ohashi and K. Kuwata, Orientation dependence of the CN*(B, A) formation in the reaction of $Ar(^3P)$ with the oriented CH_3CN 163 (1989) 246
Kasatani, K., see H. Higashide 163 (1989) 485
Kaxiras, E., Structural model for a covalently bonded Si_{45} cluster 163 (1989) 323
Kemper, P.R., see C.-H. Kuo 163 (1989) 291
Kempton, J.R., see P.W. Percival 163 (1989) 241
Kiefl, R.F., see P.W. Percival 163 (1989) 241
Kim, K., see T.G. Lee 163 (1989) 98
Kim, M.S., see T.G. Lee 163 (1989) 98
Kiso, F., see K. Tokumura 163 (1989) 509
Kneipp, K., W. Jahr and G. Roewer, SERS on photographic silver halide emulsions 163 (1989) 105
Kobayashi, A., see K. Kaneko 163 (1989) 61
Kolb, D.M., see A. Friedrich 163 (1989) 123
Kopelman, R., see L.A. Harmon 163 (1989) 463

Koptyug, I.V., E.G. Bagryanskaya and R.Z. Sagdeev, Observation of ^{13}C SNP during the photolysis of cyclododecanone in solution 163 (1989) 503
Koroteev, N.I., see S.Yu. Egorov 163 (1989) 421
Koyama, Y., see H. Hashimoto 163 (1989) 251
Krajcarski, D.T., see A.G. Szabo 163 (1989) 565
Krasnovsky Jr., A.A., see S.Yu. Egorov 163 (1989) 421
Krauss, M., see H. Basch 163 (1989) 514
Krotscheck, E., see T. Pang 163 (1989) 537
Kudo, T., see S. Nagase 163 (1989) 23
Kuo, C.-H., C.G. Beggs, P.R. Kemper, M.T. Bowers, D.J. Leahy and R.N. Zare, Experimental measurement of the radiative lifetime of NO^+ ($X\ ^1\Sigma^+$, $v=1$, 2 and 3) 163 (1989) 291
Kutty, T.R.N. and M. Avudaithai, Photocatalytic activity of tin-substituted TiO_2 in visible light 163 (1989) 93
Kuwata, K., see T. Kasai 163 (1989) 246

Langhoff, S.R., see A.P. Rendell 163 (1989) 354
Lauenstein, Ch., see U. Buck 163 (1989) 455
Launay, J.M. and M. Le Dourneuf, Hyperspherical close-coupling calculation of integral cross sections for the reaction $H+H_2 \rightarrow H_2+H$ 163 (1989) 178
Leahy, D.J., see C.-H. Kuo 163 (1989) 291
Le Dourneuf, M., see J.M. Launay 163 (1989) 178
Lee, J., see S.-B. Zhu 163 (1989) 328
Lee, S.-Y., W.T. Pollard and R.A. Mathies, Quasi-classical models of transition state absorption or emission 163 (1989) 11
Lee, T.G., H.W. Yeom, S.-J. Oh, K. Kim and M.S. Kim, Enhanced Raman scattering of silver benzenethiolate 163 (1989) 98
Lee, T.J., see P.R. Taylor 163 (1989) 359
Lefebvre, R. and N. Moiseyev, Complex eigenvalues in bound systems: a two-channel example 163 (1989) 339
Lembo, L.J. and H. Helm, Observation of low-lying Rydberg states of the triatomic hydrogen molecule 163 (1989) 425
Lester Jr., W.A., see P. Pernot 163 (1989) 297
Leung, S.-K., see P.W. Percival 163 (1989) 241
Levine, R.D., see E.W. Schlag 163 (1989) 523
Li, L., see L.A. Harmon 163 (1989) 463
Lin, M.C., see N.S. Wang 163 (1989) 480
Lin, P.-C., see S. Bashkin 163 (1989) 407
Lipscomb, W.N., see J.F. Stanton 163 (1989) 333
Lowe, M.A., see J.S. Alper 163 (1989) 571
Lüpke, G., see A. Friedrich 163 (1989) 123

MacDermott, A.J. and G.E. Tranter, The search for large parity-violating energy differences between enantiomers 163 (1989) 1
Machado, J.C., W.F. Magalhaes, A. Marques Netto, J.Ch. Abbé and G. Duplâtre, Application of positron annihilation lifetime spectroscopy to a study of N-benzoyl-N-phenyl hydroxylamine associations in solution 163 (1989) 140
Maciejewski, A., Solvent spectral shifts in perfluoroalkane solvents 163 (1989) 81

Maclagan, R.G.A.R., The structure and energies of $C_2H_2P^+$ isomers 163 (1989) 349
Magalhaes, W.F., see J.C. Machado 163 (1989) 140
Magers, D.H., see J.F. Stanton 163 (1989) 333
Mahal, H.S., see S. Kapoor 163 (1989) 135
Majima, T., K. Sugita and S. Arai, The ^{18}O separation by IRMPD of ethers 163 (1989) 29
Marathe, V.R. and D. Mathur, Potential energy curves of low-lying electronic states of CO^{2+} 163 (1989) 189
Marino, M.M., M. Sawamura, W.C. Ermler and C.J. Sandroff, Ab initio study of the layered semiconductor cluster Bi_6I_{18} 163 (1989) 202
Märk, T.D., On the production and composition of doubly ionized NH_3 clusters 163 (1989) 461
Marowsky, G., see A. Friedrich 163 (1989) 123
Marques Netto, A., see J.C. Machado 163 (1989) 140
Martin, J.M.L., J.P. François and R. Gijbels, Accurate ab initio predictions of the dissociation energy and heat of formation of first-row hydrides 163 (1989) 387
Masaki, A., see H. Umemoto 163 (1989) 303
Mathies, R.A., see S.-Y. Lee 163 (1989) 11
Mathur, D., see V.R. Marathe 163 (1989) 189
Matsumoto, A., see K. Kaneko 163 (1989) 61
McCorkle, D.L., see H. Faidas 163 (1989) 495
Meier, W., H. Zacharias and K.H. Welge, Vibrational excitation of a H_2 molecular beam by Franck–Condon pumping 163 (1989) 88
Min, L. and R.J. Dwayne Miller, Picosecond electro-optic sampling of electron–hole vertical transport in surface space charge fields 163 (1989) 55
Modelli, A., A. Foffani, F. Scagnolari and D. Jones, Effect of halo-substitution on the lowest-lying empty π^* orbitals in benzene derivatives: electron transmission and dissociative attachment spectra 163 (1989) 269
Mogensen, O.E., On the anomalous magnetic quenching of positronium in solutions of nitrobenzene in hexane 163 (1989) 145
Moiseyev, N., see R. Lefebvre 163 (1989) 339
Mordziński, A., see J. Sepioł 163 (1989) 443
Morrison, H., see D. Severance 163 (1989) 545
Mukherjee, D., see R. Chaudhuri 163 (1989) 165
Mukherjee, D., see D. Mukhopadhyay Jr. 163 (1989) 171
Mukhopadhyay Jr., D. and D. Mukherjee, Size-extensive effective Hamiltonian formalisms using quasi-Hilbert and quasi-Fock space strategies with incomplete model spaces 163 (1989) 171
Mullins, C., C.T. Rettner, D.J. Auerbach and W.H. Weinberg, Variation of the trapping probability of Ar on Pt(111) with kinetic energy and angle of incidence: the changing role of parallel momentum with surface temperature 163 (1989) 111

Nagase, S., T. Kudo, T. Akasaka and W. Ando, Theoretical study of a silylene–oxygen adduct. Is a silanone oxide structure (H_2SiOO) kinetically stable in the singlet state? 163 (1989) 23
Nakata, Y., see A. Takahashi 163 (1989) 65
Neher, D., A. Wolf, C. Bubeck and G. Wegner, Third-harmonic generation in polyphenylacetylene: exact determination of nonlinear optical susceptibilities in ultrathin films 163 (1989) 116
Nguyen, M.T., Facile 1,3-hydrogen shifts in the π state of radical cations: formic and thioformic acids as a test case 163 (1989) 344

Oh, S.-J., see T.G. Lee 163 (1989) 98

Ohashi, K., see T. Kasai 163 (1989) 246
Ohnuma, T., see H. Umemoto 163 (1989) 303
Oka, T., see H. Higashide 163 (1989) 485
Ong, S., see A. Castro 163 (1989) 412
Ortiz, J.V., see E.P. Parker 163 (1989) 366
Ozeki, S., see K. Kaneko 163 (1989) 61

Pang, T., C.E. Campbell and E. Krotscheck, Local structure of electron correlations in atomic systems 163 (1989) 537
Park, C.R. and J.R. Wiesenfeld, Product energy distribution of hydroxyl radicals in $O(^1D_2)+HCl \rightarrow OH+Cl$ 163 (1989) 230
Parker, E.P. and J.V. Ortiz, Electron propagator calculations on the discrete spectra of ArH and NeH 163 (1989) 366
Percival, P.W., J.-C. Brodovitch, S.-K. Leung, D. Yu, R.F. Kiefl, D.M. Garner, D.J. Arseneau, D.G. Fleming, A. Gonzalez, J.R. Kempton, M. Senba, K. Venkateswaran and S.F.J. Cox, Hyperfine constants for the ethyl radical in the gas phase 163 (1989) 241
Perez Salgado, F., see J. Sepioł 163 (1989) 443
Pernot, P., R.M. Grimes, W.A. Lester Jr. and Ch. Cerjan, Quantum time-dependent study of the scattering of He by $H_2(B\,^1\Sigma_u^+$ 163 (1989) 297
Pettinger, B., see A. Friedrich 163 (1989) 123
Pfeifer, H., see M. Hunger 163 (1989) 221
Phillips, D., see R. Howell 163 (1989) 282
Pivovar, V.A., see R.J. Rakauskas 163 (1989) 381
Plenkiewicz, B., P. Plenkiewicz and J.-P. Jay-Gerin, Calculation of the conduction-band energy of excess electrons in fluid helium 163 (1989) 542
Plenkiewicz, P., see B. Plenkiewicz 163 (1989) 542
Podgornik, R., On the connection between surface ordering transitions and hydration forces between two apposed surfaces 163 (1989) 531
Polavarapu, P.L., Ab initio vibrational Raman spectra of small ring molecules: examples that warrant reevaluation of a scaling theme 163 (1989) 576
Pollard, W.T., see S.-Y. Lee 163 (1989) 11
Prager, D., see M. Hunger 163 (1989) 221
Prochorow, J., see I. Deperasinska 163 (1989) 257

Rakauskas, R.J., J.K. Šulskus, S.M. Zavoruev and V.A. Pivovar, The ab initio surfaces of the potential energy and dipole moment of $^1\Sigma_g^+$ CO_2. Stretching vibrational states 163 (1989) 381
Ree, J. and H.K. Shin, Near-resonant vibrational energy exchange between the stretching levels of H_2O 163 (1989) 308
Rendell, A.P., C.W. Bauschlicher Jr. and S.R. Langhoff, A theoretical determination of the radiative lifetimes of the $A\,^2\Sigma^+$ and $B\,^2\Delta$ states of CF 163 (1989) 354
Reschetilowski, W., see M. Hunger 163 (1989) 221
Rettner, C.T., see C. Mullins 163 (1989) 111
Rettschnick, R.P.H., see J. Sepioł 163 (1989) 443
Rice, J.E., see P.R. Taylor 163 (1989) 359
Robinson, G.W., see S.-B. Zhu 163 (1989) 328
Roewer, G., see K. Kneipp 163 (1989) 105
Rotman, S.R., see F.X. Hartmann 163 (1989) 437

Sagdeev, R.Z., see I.V. Koptyug 163 (1989) 503
Sahm, D.K. and T. Uzer, The geometry of vibration-induced rotational mixing in molecules 163 (1989) 5
Sakurai, M., H. Hoshi, Y. Inoue and R. Chûjô, A method for estimating medium effects in heterogeneous systems. Theoretical analysis of complexation-induced ^{13}C-NMR chemical shift changes in α-cyclodextrin–guest systems 163 (1989) 217
Sandroff, C.J., see M.M. Marino 163 (1989) 202
Sannigrahi, A.B., see T. Kar 163 (1989) 157
Sato, H., see H. Higashide 163 (1989) 485
Sato, S., see H. Umemoto 163 (1989) 303
Sawamura, M., see M.M. Marino 163 (1989) 202
Scagnolari, F., see A. Modelli 163 (1989) 269
Schaefer, T. and R. Sebastian, Molecular orbital computations of the internal rotational potentials in 2-, 3- and 4-fluorostyrene. Comparison with experiment 163 (1989) 212
Schick, M., see G. Gompper 163 (1989) 475
Schlag, E.W. and R.D. Levine, On the unimolecular dissociation of large molecules 163 (1989) 523
Sebastian, R., see T. Schaefer 163 (1989) 212
Senba, M., see P.W. Percival 163 (1989) 241
Sepioł, J., A. Grabowska, H. Bulska, A. Mordziński, F. Perez Salgado and R.P.H. Rettschnick, The role of the triplet state in depopulation of the electronically excited proton-transferring system [2,2′-bipyridyl]-3,3′-diol 163 (1989) 443
Severance, D. and H. Morrison, Theoretical analyses of hydrogen abstraction by aldehyde triplet excited states 163 (1989) 545
Shen, Y.R., see X.-D. Xiao 163 (1989) 555
Shin, H.K., see J. Ree 163 (1989) 308
Shinohara, H., see H. Higashide 163 (1989) 485
Sidis, V., D. Grimbert, M. Sizun and M. Baer, Quantal IOS calculations of differential cross sections for vibrational excitation and vibronic charge transfer in $H^+ + O_2$ collisions 163 (1989) 19
Sinha, D., see R. Chaudhuri 163 (1989) 165
Sizun, M., see V. Sidis 163 (1989) 19
Sonnad, V., see J.R. Flores 163 (1989) 198
Stanton, J.F., R.J. Bartlett, D.H. Magers and W.N. Lipscomb, Highly correlated single reference studies of the O_3 potential surface. Dissociation and atomization energies 163 (1989) 333
Steer, R.P., see K.J. Falk 163 (1989) 490
Steinhoff, R., see A. Friedrich 163 (1989) 123
Stevens, W.J., see H. Basch 163 (1989) 514
Sugita, K., see T. Majima 163 (1989) 29
Šulskus, J.K., see R.J. Rakauskas 163 (1989) 381
Suzuki, T., see K. Kaneko 163 (1989) 61
Sveinson, S.E., see K.J. Falk 163 (1989) 490
Szabo, A.G., K.J. Willis, D.T. Krajcarski and B. Alpert, Fluorescence decay parameters of tryptophan in a homogeneous preparation of human hemoglobin 163 (1989) 565

Takahashi, A., T. Takizawa and Y. Nakata, Temperature dependence of proton spin–lattice relaxation time for water (HDO) in dipalmitoylphosphatidylcholine–D_2O systems 163 (1989) 65
Takamichi, N., see K. Tokumura 163 (1989) 509
Takizawa, T., see A. Takahashi 163 (1989) 65
Takuma, H., see D. Xing 163 (1989) 193

Tang, I.N., see K.H. Fung 163 (1989) 560
Taylor, A.G., see R. Howell 163 (1989) 282
Taylor, P.R., T.J. Lee, J.E. Rice and J. Almlöf, The polarizabilities of neon 163 (1989) 359
Thölmann, D. and H.-Fr. Grützmacher, Aromatic substitution of halobenzenes in the gas phase: a kinetic study by FT-ICR spectrometry 163 (1989) 225
Timken, M.D., see R.B. Clarkson 163 (1989) 277
Tokumura, K., F. Kiso, M. Dohi, N. Takamichi and M. Itoh, Triplet-sensitized doublet–doublet fluorescence of *p*-methoxybenzyl radical in solution at room temperature 163 (1989) 509
Toleutaev, B.N., see S.Yu. Egorov 163 (1989) 421
Topp, M.R., see S.A. Wittmeyer 163 (1989) 261
Träbert, E., see S. Bashkin 163 (1989) 407
Tranter, G.E., see A.J. MacDermott 163 (1989) 1
Tse, J.S., The d and f resonances in the core level absorption spectra of TeF_6 163 (1989) 392

Ueda, K., see D. Xing 163 (1989) 193
Umemoto, H., A. Masaki, T. Ohnuma and S. Sato, Electronic energy transfer collisions between Zn(4 ^3P_J) and ground-state ZnH (ZnD) 163 (1989) 303
Urban, R.-D. and H. Jones, The ground state infrared spectrum of the MnH radical ($^7\Sigma$) from diode laser spectroscopy 163 (1989) 34
Uzer, T., see D.K. Sahm 163 (1989) 5

Valiron, P., see G. Danby 163 (1989) 75
Van de Weijer, P. and B.H. Zwerver, Laser-induced fluorescence of OH and SiO molecules during thermal chemical vapour deposition of SiO_2 from silane–oxygen mixtures 163 (1989) 48
Venkateswaran, K., see P.W. Percival 163 (1989) 241
Vogel, V., see X.-D. Xiao 163 (1989) 555
Volksen, W., see J.T. Brenna 163 (1989) 499

Wahnström, G., Role of phonons and electron–hole pairs in hydrogen diffusion on a corrugated metal surface 163 (1989) 401
Wang, N.S., D.L. Yang and M.C. Lin, Kinetics of CN radical reactions with NO_x between 297 and 740 K 163 (1989) 480
Wegner, G., see D. Neher 163 (1989) 116
Weinberg, W.H., see C. Mullins 163 (1989) 111
Welge, K.H., see W. Meier 163 (1989) 88
Wells, K., see S. Bashkin 163 (1989) 407
Whetten, R.L., see M.S. El-Shall 163 (1989) 41
Wiesenfeld, J.R., see C.R. Park 163 (1989) 230
Willey, K.F., see P.Y. Cheng 163 (1989) 469
Willis, K.J., see A.G. Szabo 163 (1989) 565
Wittmeyer, S.A. and M.R. Topp, Spectral hole burning in free perylene and in small clusters with methane and alkyl halides 163 (1989) 261
Wolf, A., see D. Neher 163 (1989) 116

Xiao, X.-D., V. Vogel and Y.R. Shen, Probing the proton excess at interfaces by second harmonic generation 163 (1989) 555
Xing, D., K. Ueda and H. Takuma, Electronic states of the ionic rubidium fluoride excimer 163 (1989) 193

Yang, D.L., see N.S. Wang 163 (1989) 480
Yeom, H.W., see T.G. Lee 163 (1989) 98
Yu, D., see P.W. Percival 163 (1989) 241

Zacharias, H., see W. Meier 163 (1989) 88
Zare, R.N., see C.-H. Kuo 163 (1989) 291
Zavoruev, S.M., see R.J. Rakauskas 163 (1989) 381
Zhu, S.-B., J. Lee and G.W. Robinson, Non-Maxwell velocity distributions in equilibrated fluids 163 (1989) 328
Zinukov, S.V., see S.Yu. Egorov 163 (1989) 421
Zwerver, B.H., see P. van de Weijer 163 (1989) 48